

# BLASIIIG SUIF

BLASTING BLASSING SUIT



### Sizes Available:

S, M, L, XL, XXL, XXXL

### Applications:

Blasting suits provides a very high level of protection against Abrasive, sand & pressure blasting process inside and outside facility."

One of the best selling ranges of PPE globally, the Blasting large selection of work protection made from premium genuine leather. This affords the user the best in breath ability, durability, comfort and dexterity.

### :: CONSTRUCTION ::

Heavy Duty Blast Suit, with internal Knee Pads are designed for tough blasting environments and professional Blasters who take pride in their work. Knee Pads made extra wide and flexible, with easy insertion into blast suit.

	Chest	Waist	Inseam
M	38 - 40	32 - 34	29 - 32
L	42 - 44	36 - 38	29 - 32
XL	46 - 48	40 - 42	29 - 32
2X	50 - 52	44 - 46	30 - 34
3X	54 - 56	48 - 50	30 - 34
4X	58 - 60	52 - 54	31 - 36

### **SPECIFICATIONS**

The full Cohide leather outer is tough and durable. Padded Knees improves comfort and reduces vibration, great for use in mild and hot climates. Made from the softest and strongest breathable leather available on the market.







IMPROVED
Improved construction
techniques

The Complete Soft Pak Hand Protection Range

Durability Comfort Dexterity

EN388:2016 [2.1.3.2.X]







# BLASTING SUIT





### Sizes Available:

S, M, L, XL, XXL, XXXL

### **Applications**:

Blasting suits provides a very high level of protection against Abrasive, sand & pressure blasting process inside and outside facility."

One of the best selling ranges of PPE globally, the Blasting large selection of work protection made from premium genuine leather. This affords the user the best in breath ability, durability, comfort and dexterity.

:: 0	100	IST	RUC	CTI	NO	

Heavy Duty Blast Suit, with internal Knee Pads are designed for tough blasting environments and professional Blasters who take pride in their work. Knee Pads made extra wide and flexible, with easy insertion into blast suit.

	Chest	Waist	Inseam	
M	38 - 40	32 - 34	29 - 32	Г
L	42 - 44	36 - 38	29 - 32	Г
XL	46 - 48	40 - 42	29 - 32	Г
2X	50 - 52	44 - 46	30 - 34	Г
3X	54 - 56	48 - 50	30 - 34	Γ
4X	58 - 60	52 - 54	31 - 36	Г
				Γ

### EN388:2016 [2.1.3.2.X]

EN 407





### **SPECIFICATIONS**

The full Cohide leather outer is tough and durable. Padded Knees improves comfort and reduces vibration, great for use in mild and hot climates. Made from the softest and strongest breathable leather available on the market.







IMPROVED
Improved construction techniques

The Complete Soft Pak Hand Protection Range

Durability Comfort Dexterity



### Sizes Available:

S, M, L, XL, XXL, XXXL

### Applications:

Blasting suits provides a very high level of protection against Abrasive, sand & pressure blasting process inside and outside facility."

One of the best selling ranges of PPE globally, the Blasting large selection of work protection made from premium genuine leather. This affords the user the best in breath ability, durability, comfort and dexterity.

::	COL	NSTF	RUCT	ION	::

Heavy Duty Blast Suit, with internal Knee Pads are designed for tough blasting environments and professional Blasters who take pride in their work. Knee Pads made extra wide and flexible, with easy insertion into blast suit.

# Chest Waist Inseam M 38 - 40 32 - 34 29 - 32 L 42 - 44 36 - 38 29 - 32 XL 46 - 48 40 - 42 29 - 32 2X 50 - 52 44 - 46 30 - 34 3X 54 - 56 48 - 50 30 - 34 4X 58 - 60 52 - 54 31 - 36

EN388:2016 [2.1.3.2.X]

### **SPECIFICATIONS**

The full Cohide leather outer is tough and durable. Padded Knees improves comfort and reduces vibration, great for use in mild and hot climates. Made from the softest and strongest breathable leather available on the market.







IMPROVED
Improved construction
techniques

The Complete Soft Pak Hand Protection Range

Durability Comfort Dexterity **Black Kevlar Welders Glove** 

**TR-212** 





- High quality Black/Yellow cow split leather
- Kevlar stitched to withstand high temperatures for longer periods
- 406mm (16") long for forearm protection
- Lined and welted
- Reinforced palm to first finger for added durability
- EN 388 Mechanical Risks rating 4143X
- EN 407 Thermal Risks Heat and Fire rating 413X4X
- Size 14" & 16"
- 12 pairs per pack
- 72 pairs per carton

Red Kevlar Welders Glove

**TR-210** 

# **Product Description**



- High quality red cow split leather
- Kevlar stitched to withstand high temperatures for longer periods
- 406mm (16") long for forearm protection
- Lined and welted
- Reinforced palm to first finger for added durability
- EN 388 Mechanical Risks rating 4143X
- EN 407 Thermal Risks Heat and Fire rating 413X4X
- Size 14" & 16"
- 12 pairs per pack
- 72 pairs per carton

# Green Kevlar Welders Glove

**TR-214** 





### TRAN ZONE Green Kevlar Welding Gloves

- High quality Green cow split leather
- Kevlar stitched to withstand high temperatures for longer periods
- 406mm (16") long for forearm protection
- Lined and welted
- Reinforced palm to first finger for added durability
- EN 388 Mechanical Risks rating 4143X
- EN 407 Thermal Risks Heat and Fire rating 413X4X
- Size 14" & 16"
- 12 pairs per pack
- 72 pairs per carton

# Work Glove Single Palm

**TR-109** 



# **Product Description**

## TRAN ZONE Work Gloves Single Palm

- High quality cow split leather
- Lined
- EN 388 Mechanical Risks rating 4143X
- EN 420
- Size 10" & 12"
- 12 pairs per pack
- 120 pairs per carton

# Work Glove Single Palm

**TR-110** 



# **Product Description**

# TRAN ZONE Work Gloves Single Palm

- High quality cow split leather
- Lined
- EN 388 Mechanical Risks rating 4143X
- EN 420
- Size 10" & 12"
- 12 pairs per pack
- 120 pairs per carton

# **Work Glove Double Palm**

**TR-106** 



# **Product Description**

### TRAN ZONE Work Gloves Double Palm

- High quality cow split leather
- Lined
- EN 388 Mechanical Risks rating 4144X
- EN 420
- Size 10" & 12"
- 12 pairs per pack
- 96 pairs per carton

# **Work Glove Double Palm**

**TR-108** 



# **Product Description**

### TRAN ZONE Work Gloves Double Palm

- High quality cow split leather
- Lined
- EN 388 Mechanical Risks rating 4144X
- EN 420
- Size 10" & 12"
- 12 pairs per pack
- 96 pairs per carton